


borg&  
overström

# Divine

EST 1994

# WATER



Distinctive  
by design.

b4

# borg& overström

## Compact design for flexibility

Hygienic and ergonomic, B4 flourishes in all environments – from boardroom to sports hall. Its compact size, large dispense area for bottles, multiple water options and flexible configuration make it Borg & Overström's most popular model.

---

### Reasons to choose

- Ultra-hygienic touch-sensitive control panel
- High capacity dispense area for bottles and jugs
- Sealed, hygienic, direct-chill cooling system
- Floorstanding option comes complete with an internal alarmed waste kit
- Unique countertop sparkling model



---

Distinctive  
by design.

# b4

# borg& overström

## Water system



Direct Chill



Countertop



Floorstanding

## Water options



Chilled



Ambient



Hot



Sparkling

## Available colours



Silver



White



Black



Distinctive  
by design.

b4

## Borg & Overström Totality™



Driven by a relentless pursuit of excellence, Borg & Overström Totality™ is a research and development methodology for the advancement of hygiene, innovation and technology in refreshment systems.



### **Biofilm, limescale and impact resistant epoxy resin panel finish**

Providing an increased level of hygiene and longevity, Fynil™ is a scratch and impact resistant epoxy-resin surface finish - effectively resisting biofilm development and limescale cohesion.



### **Laboratory certified 99.999% bacteria-free**

Every Borg & Overström appliance undergoes an anti-microbial, antipathogen, sanitising procedure. The reassurance of hygienically safe appliances is provided by the unique bacteria-eliminating process, Sterizen™.



### **Ultra-violet sterilising system**

For added hygiene confidence, appliances can be fitted with Viovandt™ – an ultra-violet sterilisation process that reduces water-born bacteria.

Distinctive  
by design.

B4 models

**Power requirements**  
Hertz 50/Volts 220-240


**Chilled temperature**  
Min 2°C/Max 11°C

**Hot temperature**  
Max 92°C

**Throughput litres per hour**  
Chilled & Sparkling 35/Hot 6

Countertop W320xD470xH415mm	Water system	Dispense height	Max power consumption	Silver	White	Black
Chilled & Ambient	Direct Chill	270mm	100W	103510	103511	103512
Chilled, Hot & Ambient	Direct Chill	270mm	600W	103520	103521	103522
Chilled, Ambient & Sparkling	Direct Chill	270mm	150W	103530	103531	103532
Chilled, Hot & Sparkling	Direct Chill	270mm	650W	103540	103541	103542
Floorstanding W320xD470xH1325mm				Silver	White	Black
Internal dimension - W280xD330xH830mm			Base cabinet	103910	103591	103592

Distinctive  
by design.



borg&  
overström

# Divine WATER

EST 1994

Talk to an adviser:

01892 669609

[sales@divinewater.co.uk](mailto:sales@divinewater.co.uk)

[www.divinewater.co.uk](http://www.divinewater.co.uk)

b4