

Divine COFFEE

more than just coffee...



DC-4 Touch

The art of
espresso coffee



DC-4 TOUCH

BEAN-TO-CUP COFFEE SYSTEM

COLOUR OPTIONS



OVERVIEW

DC-4 Touch is designed with a 7 inch Touch Screen display, compatible with Android system and completely customisable depending on the user demands. Up to 30 drink selection can be loaded (max 10 per page). Users can upload movies, sounds or customised images for each single drink.

DRINK SCREENS VARIATIONS

4	6	8	10
---	---	---	----

MAXIMUM DRINK SELECTIONS

30

RECOMMENDED DRINKS PER DAY

200

ESPRESSO CUPS/HOUR

150

SPECIALITY DRINKS/HOUR

120


HOT WATER LITRES/HOUR

40



DIMENSIONS

(W) 324 mm x (D) 560 mm x (H) 717 mm



SPECIFICATION

MACHINE	EASY (SOLUBLE MILK)	LM (FRESH MILK)
STEAM BOILER CAPACITY	N/A	1.0 L
COFFEE BOILER CAPACITY	1.0 L	1.0 L
NET WEIGHT	38 KG	42 KG
GROSS WEIGHT	45 KG	49 KG
PUMP TYPE	Rotary	
GROUNDS BIN CAPACITY	60 Coffees	
BEAN HOPPER CAPACITY	0.65 KG	
SOLUBLE CAPACITY	2.0 L	
VOLTAGE/TOTAL POWER	230V 1.95KW 13AMP Single Phase	230V 1+N 3.15KW 13AMP Single Phase

SYSTEM FEATURES

LOUDSPEAKER <p>Useful speaker that allows the user to customise the machine using sounds and play music, promotions and any information via USB connection.</p>	COFFEE CREATOR <p>Useful tool to set the parameters of our new generation super automatic machines directly from the computer.</p>	POWER CLEANER <p>Assure maximum hygiene conditions of the complete milk circuit and steam boiler through an integrated rinsing system.</p>	FRIDGE PLUS <p>Fridge detects if milk temperature is too hot and will automatically shut off; detects empty milk cartons.</p>
USB CONNECTION <p>Copy and load machine parameters and settings, customise user interface graphics.</p>	ALL IN ONE CLEANING <p>The operator only takes a few minutes to set up. All cleaning operations are automatic to save time and cut down on operating costs.</p>	MTT MILK TUNING TECHNOLOGY <p>Dispense milk-based drinks at the desired temperature; dispense cold milk and chilled beverages.</p>	MAXSAVE <p>Patented technology to maximise energy saving, guarantee high production capacity and reduce power consumption.</p>

BEAN-TO-CUP COMPARISON



MACHINE MODEL	DC-1 Touch	DC-2 Touch	DC-3 Touch	DC-4 Touch
RECOMMENDED DAILY OUTPUT	50-60	50-100	150-200	200-250
CONTAINER OPTIONS - EASY (SOLUBLE)	1 X Bean 2 X Instant	2X Bean 2 X Instant	1 X Bean 2 X Instant	1 X Bean 2 X Instant
DRINK SIZE RANGE	8oz	8oz - 12oz	8oz - 16oz	8oz - 16oz
VIDEO SCREEN	Not Available	Not Available	Standard	Standard
DRINKS PER SCREEN	6	6	8	4/6/8/10
TOTAL DRINK OPTIONS	30	30	30	30
SOLUBLE MILK	Standard	Standard	Standard	Standard
INTERFACE CONNECTION	USB	USB	SD Card	USB
PROXIMITY SENSOR	Not Available	Standard	Not Available	Standard
LOUDSPEAKER	Not Available	Not Available	Not Available	Standard
SEPARATE HOT WATER FILLER	Standard	Standard	Standard	Standard
HOPPER LOCK	Standard	Optional	Standard	Optional
COFFEE GROUNDS BIN CAPACITY	30 coffees	30 coffees	60 coffees	60 coffees
DIRECT COFFEE GROUND DISCHARGE	Not Available	Not Available	Optional	Optional
DRIP TRAY TO DRAINAGE	Not Available	Not Available	Not Available	Optional
COFFEE GROUND MATERIAL	Stainless Steel	Stainless Steel	Ceramic	Stainless Steel
INTERNAL WATER TANK CAPACITY	Not Available	4 Litres	Not Available	Not Available
MAINS WATER FEED CONNECTION	Standard	Optional	Standard	Standard
BOILER CAPACITY	600 ml	600 ml	1.0 l	1.0 l

Drinks Options

All of Divine Coffee's Bean-To-Cup coffee machine have up to 30 choices of drinks to select from. Each has canisters for soluble milk & chocolate offering drinks such as Coffee Crema, Cafe au lait, Cappuccino Espresso, Espreschoc, Americano, Latte, Moccachino, Hot Chocolate, Creamy Choc and more. All also have a separate hot water spout for Tea, Soup or other instant drinks





Divine COFFEE

more than just coffee...



Divine Coffee is a division of Divine Water

Rauter House, 1 Sybron Way, Millbrook Business Park,
Crowborough, East Sussex, TN6 3DZ

Tel: 03300 241870 Fax: 03300 241871

Email: sales@divinewater.co.uk

Website: www.divine-coffee.co.uk